



Product Description	Rev.	D Maximum Supplied	D Minimum Recovered	L Supplied	Recommended Hole Diameter ⁵	Nominal Radial Force (lbs) ⁷
PHM0318-0635	-	3.175	3.238	6.35 ± .14	3.175 / 3.214	13300
PHM0318-0953	-	3.175	3.238	9.53 ± .21	3.175 / 3.214	20000
PHM0318-1270	-	3.175	3.238	12.70 ± .26	3.175 / 3.214	26700
PHM0635-0381	-	6.350	6.479	3.81 ± .14	6.350 / 6.432	15600
PHM0635-0554	-	6.350	6.479	5.54 ± .14	6.350 / 6.432	22700
PHM0635-0635	-	6.350	6.479	6.35 ± .14	6.350 / 6.432	26200
PHM0782-0381	-	7.823	7.990	3.81 ± .14	7.823 / 7.93	19300
PHM0782-0693	-	7.823	7.990	6.93 ± .16	7.823 / 7.93	35100
PHM0782-0762	-	7.823	7.990	7.62 ± .16	7.823 / 7.93	38700
PHM0782-1461	-	7.823	7.990	14.61 ± .26	7.823 / 7.93	74300

NOTES:

- 1 Pin material: heat-to-recover NiTi, Intrinsic Alloy H.
- 2 To prevent premature recovery, do not expose pins to temperatures above 45°C prior to installation.
- 3 Pins must be heated to 165°C to insure full stress generation.
- 4 Do not heat pins above 300°C during installation, or afterward, to avoid the possibility of stress relaxation.
- ⁵To ensure consistent performance, the hole diameter should not exceed the maximum given, along the length where the pin will be installed.
- ⁶End corners will be rounded with a radius of less than 10% of the pin diameter.

- ⁷This is the nominal outward radial force developed by the pin, equal to the pin-to-substrate contact area times the nominal contact pressure, 207 MPa. This is for initial design purposes. The actual radial pressure applied by a pin is a function of the substrate material and geometry and the operating temperatures. The contact pressure decreases with decreasing temperature and with increasing hole diameter. Qualification testing should take this into account.
- 8 Surface finish on Ø D, 32 Ra maximum
- 9 Dimensions are in inches.

Intrinsic Devices, Inc.
 2353 Third Street
 San Francisco, CA 94107-3108
 tel: 415 252-5902 fax: 415 252-1624
intrinsicdevices.com
 CAGE Code 08CE6

Product Document
Expanding Pin
Heat-To-Recover, English Units

Drawing ID	Rev.	Date	Page
PD PHM	G	7/10/2017	1 of 1